

STUDIES ON INDIAN ICHNEUMONIDAE (HYMENOPTERA)

Sub-family: BANCHINAE. Part III. Tribe BANCHINI

By E. S. NARAYANAN, M.A., PH.D. (LOND.), D.I.C., F.R.E.S., F.E.S.I., F.A.Sc.

AND

KUNDAN LAL, M.Sc. (HONS.)

(Indian Agricultural Research Institute, New Delhi)

Received February 13, 1956

CONTENTS	PAGE
THE TRIBE BANCHINI	207
THE GENUS <i>Exetastes</i> Gravenhorst	207
THE GENUS <i>Banchus</i> FABRICIUS	211
THE GENUS <i>Fintona</i> CAMERON	211
THE GENUS <i>Eponites</i> CAMERON	212
SYSTEMATICALLY ARRANGED CATALOGUE OF INDIAN SPECIES	
Tribe 3. BANCHINI	

Banchini Ashmead, *Proc. U.S. nat. Mus.*, 23: 96, (1900). Townes, *Mem. Amer. ent. Soc.*, 11 (1): 462, (1944). Muesebeck, Krombein, Townes and others, *U.S. Dep. Agric., Monograph*, 2: 316, (1951).

Banchides Morley, *Ichn. Brit.*, 3: 281, (1907); *Fauna Brit. India, Hymen.*, 3: 243, (1913).

Exetastes Gravenhorst

Exetastes Gravenhorst, *Ichn. Eur.*, 3: 385, (1829),
(Type of genus: *Ichneumon fornicator* Fabricius).
Dalla Torre, *Cat. Hymen.*, 3: 68, (1901-02).
Morley, *Ichn. Brit.*, 3: 289, (1907); *Fauna Brit. India, Hymen.*, 3: 243, (1913).¹ Townes, *Mem. Amer. ent. Soc.*, 11 (1): 462, (1944). Muesebeck, Krombein, Townes and others, *U.S. Dep. Agri. Monograph*, 2: 316, (1951).

¹Range. Europe,
Madeira,
Teneriffe,
Himalayas,
Malay Archi-
pelago, North
America,
Brazil.

Leptobatus Gravenhorst, *Ichn. Eur.*, 3: 432.

Rhimphalea Förster, *Verh. Naturh. Ver. Preuss. Reihl.*, 25: 202, (1868).

Alexetastes Kokujev, *Rev. Russ. Ent.*, 4: 16, (1904).
? *Tegona* Morley, *Fauna Brit. India. Hymen.*, 3: 251,
(1913).

Pseudexetastes Meyer, *Konowia*, 6: 308, (1927).
Tetractenion Searing, *Acad. Malagache Mem.*, 11:
167, (1932).

cinctipes (Retzius).

Ichneumon spec Geoffray, *Hist. abr., Ins.*, 2: 356,
n. 57, (1762).

Ichneumon atrator Förster, *Nov. spp. Ins.*, p. 84,
(1771).

Ichneumon cinctipes Retzius, *Gen. and spec. Ins.*,
p. 168, n. 269, (1783). ♀. Villers, *C. linnæi Ent.*,
3: 187, n. 162, (1789).

Ichneumon junci Foureroy, *Entom. Paris*, 2: 413,
n. 58, (1785).

Ichneumon osculatorius Fabricius, *Mant. Ins.*, 1: 261,
(1787); *Ent. Syst.*, 2: 142, n. 38, (1793). ♂.
Villers, *C., linnæi Ent.*, 3: 151, n. 50, (1789).
Gmelin, *Linne. Syst. Nat.*, Ed. 13a, 1 (5): 2680,
n. 92, (1790). ♂. Oliviers, *Encycl. Meth. Ins.*,
7: 170, n. 31, (1792). Walckenaër, *Fauna Paris*,
2: 53, n. 27, (1802). ♂. Tunberg, *Mem. Acad.*
Sci., St. Petersburg, 9: 302, (1824). ♀. Graven-
horst, *Ichn. Eur.*, 3: 938, n. 90, (1829). Vallot,
Mem. Acad. Sc. Dijon, p. 244, (1836).

Ichneumon clavator Fabricius, *Ent. Syst.*, 2: 151,
n. 74, (1793). ♀. Jurine, *Nouv. meth. class.*
Hymen., p. 107, (1807). ♂, ♀.

Cryptus osculatorius Fabricius, *Syst. Piez.*, p. 76,
n. 23, (1824). ♂.

Ophion clavator Fabricius, *Syst. Piez.*, p. 134, n. 17,
(1804). ♀. Panzer, *Krit. Revis.*, 2: 89, (1806).
Olivier, *Encycl. meth. Ins.*, 8: 512, n. 23,
(1811). ♀.

Ophion tarsator Fabricius, *Syst. Piez.*, p. 134, n. 20,
(1804). ♀. Olivier, *Encycl. Meth. Ins.*, 8: 512,
n. 26, (1811). ♀.

Banchus clavator Gravenhorst, *Nov. acta. Acad. nat. curious*, 9: 294, (1818). ♂.

Ichneumon tarsator Thunberg, *Bull. Acad. Sc. St. Petersburg*, 8: 258, (1822) ♀; 9: 254, (1924). ♂.

Exetastes osculatorius Gravenhorst, *Ichn. Eur.*, 3: 413, n. 15, (1829). ♂. Parfitt, *Rep. and Trans. Deven. Assoc.*, 13: 272, (1881).

Exetastes clavator Gravenhorst, *Ichn. Eur.*, 3: 405, n. 11, (1829). ♀. Boie, *Stettin. Entom. Zeitg.*, 16: 93, n. 23, (1935). Liehold, *Zeitschr. f. Ent.*, 4: 388, (1843). Vollenhoven, *Pinacogr.*, pl. 17, fig. 3, ♂, ♀.

Tryphon tarsator, Zetterstedt, *Ins. Lapp.*, 1: 336, n. 13, (1838). ♂, ♀.

Exetastes tarsator Holmgren, *Svenska vet. Akad. Handle*, n. 8, p. 158, (1858).

Exetastes cinctipes Thomson, *Opusc. ent.*, 22: 2414, n. 1, (1899). ♂, ♀. Dalla Torre, *Cat. Hymen.*, 3: 69, (1901-02). Morley, *Ichn. Brit.*, 3: 304, (1907); *Fauna Brit. India*, 3: 244, (1913). ♂, ♀.¹ Europe, India.

fornicator Fabricius

Ichneumon fornicator Fabricius, *spec. Ins.*, 1: 352, n. 72, (1781), ♀; *Mant. Ins.*, 1: 267, n. 88, (1787); *Ent. Syst.*, 2: 168, n. 144, (1793). Gmelin, *Linne, Syst. Nat.*, Ed. 13a, 1 (5): 2692, n. 150, (1790). Coderhjelm, *Fauna Ingric. Prodr.*, p. 161, n. 496, (1798). Jurine, *Nouv. meth. Class. Hymen.*, p. 107, (1807). ♀.

Banchus fornicator Fabricius, *Supply. entom. system.*, p. 233, n. 3, (1778); *Syst. Piez.*, p. 127, n. 3, (1804). Panzer, *Krit. Revis*, 2: 86, (1806). Gravenhorst, *Nov. acta. Acad. nat. Curious*, 9: 292, (1818). Trentepohl, *Isis.*, p. 964, n. 80, (1829). ♀. Blanchard, *Hist. nat. Insect.*, 3: 322, 42, (1840). Dumeril, *Mem. acad. Sc. Paris*, 29: 897, n. 3, (1860).

Exetastes fornicator Gravenhorst, *Ichn. Eur.*, 3: 402, n. 10, (1829). ♂, ♀. Westwood, *Introd. Mod. classif. Insect.*, 2: 60, (1840). Boie, *Stettin. entom. Zeitg.*, 16: 92, n. 22, (1855). Holmgren, *Svenska vet. Akad. Handle*, n. 8, p. 150, (1858); *Ofv. Svensk. Vet. Akad. Porh.*, 15: 329, n. 23, (1858). Vollenhoven, *Pinæcogr.*, pl. 17, fig. 2. Thomson, *Opusc. ent.*, 22: 2415, n. 4, (1899). ♂, ♀. Dalla Torre, *Cat. Hymen.*, 3: 71, (1901-02). Morley, *Ichn. Brit.*, 3: 303, (1907); *Fauna Brit. India, Hymen.*, 3: 250, (1913). ♂, ♀.¹

¹Kashmir.
Europe.

lucifer Morley

Exetastes lucifer Morley, *Fauna Brit. India, Hymen.*, 3: 248, (1913). ♂.¹

¹Assam.

nigripes Gravenhorst

Exetastes nigripes Gravenhorst, *Ichn. Eur.*, 3: 416, n. 17, (1829). Excl. var. Ratzeburg, *Ichn. d. Forst. Inst.*, 3: 94, (1852). Holmgren, *Svenska vet. Akad. Handl.*, p. 26, (1854); n. 8, p. 153, (1858). Thomson, *Opusc. ent.*, 22: 2315, (1897). ♂, ♀. Morley, *Ichn. Brit.*, 3: 296, (1907); *Fauna Brit. India, Hymen.*, 3: 247, (1913). ♂, ♀.¹

¹Sikkim:
Darjeeling.

Var. *Exetastes illusor* Gravenhorst, *Ichn. Eur.*, 3: 427, (1829). Holmgren, *Svenska. vet. Akad. Handle*, n. 8, p. 151, (1858). Thomson, *Opusc. ent.*, 22: 2416, (1897). ♂, ♀. Morley, *Ent. Mo. Mag.*, p. 160, (1903). ♀; *Ichn. Brit.*, 3: 297, (1907). ♂, ♀. *Fauna Brit. India, Hymen.*, 3: 247, (1913). ♂, ♀.¹ cf., Vollenhoven, *Pinæc.*, pl. 17, fig. 4.

¹Europe,
Sikkim:
Darjeeling.

nitidus Cameron

Exetastes nitidus Cameron, *J. Bom. nat. Hist. Soc.*, 274, (1906). ♀. Morley, *Fauna Brit. India, Hymen.*, 3: 249, (1913). ♀.¹

¹Baluchistan:
Quetta.

rufipes (Morley)

Tegona rufipes Cameron, MS. ♀. Morley, *Fauna Brit. India, Hymen.*, 3: 251, (1913). ♂, ♀.¹

¹Punjab:
Simla.

Exetastes (= *Tegona*) *rufipes* Townes, *Mem. Amer. ent. Soc.*, 11 (1): 462, (1944).

tisiphone Morley

Exetastes tisiphone Morley, *Fauna Brit. India, Hymen.*, 3: 246, (1913). ♂¹

¹Sikkim.

Banchus Fabricius

Banchus Fabricius, *Sup. Ent. System.*, p. 209, (1798), (Type of genus: *Banchus pictus* Fabricius).

Dalla Torre, *Cat. Hymen.*, 3: 62, (1901-02).

Morley, *Ichn. Brit.*, 3: 281, (1907); *Fauna Brit. India, Hymen.*, 3: 253, (1913).¹

Townes, *Mem. Amer. ent. Soc.*, 11: (1): 474, (1944).

Muesebeck, Krombein, Townes and others, *U.S. Dept. Agric. Monograph*, 2: 320, (1951).

Corynephanus Wesmæl, *Soc. Roy. Belg. Bull.*, 16: 631.

Cidaphurus Förster, *Verh. Naturh. Ver. Preuss. Reihl.*, 25: 159, (1868).

¹Range. India,
Europe, Canada,
United States,
Brazil.

armillatus Morley

Banchus armillatus Morley, *Fauna Brit. India, Hymen.*, 3: 254, (1913). ♂¹

¹Nicobar
Islands.

flavomaculatus (Cameron)

Cidaphurus flavomaculatus Cameron, *Zeits. Hym. Dip.*, p. 346, (1904). ♂.

Banchus flavomaculatus, Morley, *Fauna Brit. India, Hymen.*, 3: 255, (1913). ♂.¹

¹Punjab:
Simla.

nox Morley

Banchus nox Morley, *Fauna Brit. India, Hymen.*, 3: 255, (1913). ♂.¹

¹Assam:
Shillong,
Khasi Hills.

Fintona Cameron

Fintona Cameron, *J. Bom. nat. Hist. Soc.*, p. 726, (1909), (Type of genus: *F. nigripalpis* Cameron).

Morley, *Fauna Brit. India, Hymen.*, 3: 257, (1913).

nigripalpis Cameron

Fintona nigripalpis Cameron, *J. Bom. Nat. Hist. Soc.*, p. 726, (1909). ♀. Morley, *Fauna Brit. India. Hymen.*, 3: 257, (1913). ♀.¹ Punjab: Simla.

Eponites Cameron

Eponites Cameron, *Zeits. Hymen.-Dip.*, p. 77, (1905), (Type of genus: *E. ruficornis* Cameron). Morley, *Fauna Brit. India, Hymen.*, 3: 258, (1913).¹ Range, Northern India

ruficornis Cameron

Eponites ruficornis Cameron, *Zeits. Hymen.-Dip.*, p. 77, (1905) ♀; *J. Bom. nat. Hist. Soc.*, p. 291, (1906). ♂. Morley, *Fauna Brit. India, Hymen.*, 3: 259, (1913). ♂,¹ ♀. Kashmir. Sikkim: Darjeeling; Bengal; Pusa.

scutellaris Morley

Eponites scutellaris Morley, *Fauna Brit. India, Hymen.*, 3: 260, (1913). ♀.¹ Bengal: Pusa.

ACKNOWLEDGEMENT

Taxonomic work on this important parasitic family Ichneumonidæ has been made possible under a generous grant sanctioned by the Indian Council of Agricultural Research under the School of Entomology. We are indebted to Prof. Townes, author of "A Catalogue and Reclassification of Nearctic Ichneumonidæ," for his suggestions and comments. We wish to thank Dr. B. P. Pal, Director, Indian Agricultural Research Institute, for the keen interest he has taken in this piece of research work.